

1. Importance of sex and trauma context on circulating cytokines and amygdalar GABAergic signaling in a comorbid model of posttraumatic stress and alcohol use disorders.  
Steinman MQ, Kirson D, Wolfe SA, **Khom S**, D'Ambrosio SR, Spierling Bagic SR, Bajo M, Vlkolinský R, Hoang NK, Singhal A, Sureshchandra S, Oleata CS, Messaoudi I, Zorrilla EP, Roberto M. Mol Psychiatry. 2020 Oct 21. doi: 10.1038/s41380-020-00920-2. IF: **12.455**
2. Synthetic, Mechanistic, and Biological Interrogation of *Ginkgo biloba* Chemical Space En Route to (-)-Bilobalide.  
Demoret RM, Baker MA, Ohtawa M, Chen S, Lam CC, **Khom S**, Roberto M, Forli S, Houk KN, Shenvi RA. J Am Chem Soc. 2020 Oct 28;142(43):18599-18618. doi: 10.1021/jacs.0c08231.  
IF: **14.612**
3. Alcohol Dependence and Withdrawal Impair Serotonergic Regulation of GABA Transmission in the Rat Central Nucleus of the Amygdala.  
**Khom S**, Wolfe SA, Patel RR, Kirson D, Hedges DM, Varodayan FP, Bajo M, Roberto M. J Neurosci. 2020 Sep 2;40(36):6842-6853. doi: 10.1523/JNEUROSCI.0733-20.2020.  
IF: **5.673**
4. Microglia Control Escalation of Drinking in Alcohol-Dependent Mice: Genomic and Synaptic Drivers.  
Warden AS\*, Wolfe SA\*, **Khom S\***, Varodayan FP\*, Patel RR, Steinman MQ, Bajo M, Montgomery SE, Vlkolinsky R, Nadav T, Polis I, Roberts AJ, Mayfield RD, Harris RA, Roberto M. Biol Psychiatry. 2020 Dec 15;88(12):910-921. doi: 10.1016/j.biopsych.2020.05.011.  
IF: **11.501**  
\* equal contribution
5. Alcohol dependence potentiates substance P/neurokinin-1 receptor signaling in the rat central nucleus of amygdala.  
**Khom S**<sup>§</sup>, Steinkellner T, Hnasko TS, Roberto M<sup>§</sup>. Sci Adv. 2020 Mar 18;6(12):eaaz1050. doi: 10.1126/sciadv.aaz1050. eCollection 2020 Mar.  
IF: **14.094**  
<sup>§</sup>corresponding author
6. The Role of the Central Amygdala in Alcohol Dependence.  
Roberto M, Kirson D, **Khom S**. Cold Spring Harb Perspect Med. 2021 Feb 1;11(2):a039339. doi: 10.1101/cshperspect.a039339.  
IF: **6.000**
7. Increased IL-6 expression in astrocytes is associated with emotionality, alterations in central amygdala GABAergic transmission, and excitability during alcohol withdrawal.

Roberts AJ, **Khom S**, Bajo M, Vlkolinsky R, Polis I, Cates-Gatto C, Roberto M, Gruol DL. Brain Behav Immun. 2019 Nov;82:188-202. doi: 10.1016/j.bbi.2019.08.185.

IF: **6.633**

8. Cessation of fluoxetine treatment increases alcohol seeking during relapse and dysregulates endocannabinoid and glutamatergic signaling in the central amygdala.

Suárez J, **Khom S**, Alén F, Natividad LA, Varodayan FP, Patel RR, Kirson D, Arco R, Ballesta A, Bajo M, Rubio L, Martin-Fardon R, Rodríguez de Fonseca F, Roberto M. Addict Biol. 2020 Sep;25(5):e12813. doi: 10.1111/adb.12813.

IF: **4.121**

9. Oxytocin blocks enhanced motivation for alcohol in alcohol dependence and blocks alcohol effects on GABAergic transmission in the central amygdala.

Tunstall BJ\*, Kirson D\*, Zallar LJ, McConnell SA, Vendruscolo JCM, Ho CP, Oleata CS, **Khom S**, Manning M, Lee MR, Leggio L, Koob GF, Roberto M, Vendruscolo LF. PLoS Biol. 2019 Apr 16;17(4):e2006421. doi: 10.1371/journal.pbio.2006421.

IF: **7.076**

10. IL-1 $\beta$  expression is increased and regulates GABA transmission following chronic ethanol in mouse central amygdala.

Patel RR, **Khom S**, Steinman MQ, Varodayan FP, Kiosses WB, Hedges DM, Vlkolinsky R, Nadav T, Polis I, Bajo M, Roberts AJ, Roberto M. Brain Behav Immun. 2019 Jan;75:208-219. doi: 10.1016/j.bbi.2018.10.009.

IF: **6.633**

11. Design, Synthesis, and Pharmacological Evaluation of Novel  $\beta$ 2/3 Subunit-Selective  $\gamma$ -Aminobutyric Acid Type A (GABA<sub>A</sub>) Receptor Modulators.

Stadler M, Monticelli S, Seidel T, Luger D, Salzer I, Boehm S, Holzer W, Schwarzer C, Urban E, **Khom S**, Langer T, Pace V, Hering S. J Med Chem. 2019 Jan 10;62(1):317-341. doi: 10.1021/acs.jmedchem.8b00859.

IF: **6.205**

12. Role of TLR4 in the Modulation of Central Amygdala GABA Transmission by CRF Following Restraint Stress.

Varodayan FP, **Khom S**, Patel RR, Steinman MQ, Hedges DM, Oleata CS, Homanics GE, Roberto M, Bajo M. Alcohol Alcohol. 2018 Nov 1;53(6):642-649. doi: 10.1093/alcalc/agx114.

IF: **2.500**

13. CRF modulates glutamate transmission in the central amygdala of naïve and ethanol-dependent rats.

Varodayan FP\*, Correia D\*, Kirson D\*, **Khom S**, Oleata CS, Luu G, Schweitzer P, Roberto M. Neuropharmacology. 2017 Oct;125:418-428. doi: 10.1016/j.neuropharm.2017.08.009.

IF: **4.431**

14. Analysis of  $\beta$ -Subunit-dependent GABAA Receptor Modulation and Behavioral Effects of Valerenic Acid Derivatives.  
**Khom S**<sup>§</sup>, Hintersteiner J, Luger D, Haider M, Pototschnig G, Mihovilovic MD, Schwarzer C<sup>§</sup>, Hering S. J Pharmacol Exp Ther. 2016 Jun;357(3):580-90. doi: 10.1124/jpet.116.232983.  
IF: **3.389**  
<sup>§</sup> corresponding author.
15. Identification of the putative binding pocket of valerenic acid on GABAA receptors using docking studies and site-directed mutagenesis.  
Luger D, Poli G, Wieder M, Stadler M, Ke S, Ernst M, Hohaus A, Linder T, Seidel T, Langer T, **Khom S**<sup>§</sup>, Hering S. Br J Pharmacol. 2015 Nov;172(22):5403-13. doi: 10.1111/bph.13329.  
IF: **7.73**  
<sup>§</sup> corresponding author.
16. Developing piperine towards TRPV1 and GABAA receptor ligands--synthesis of piperine analogs via Heck-coupling of conjugated dienes.  
Wimmer L, Schönbauer D, Pakfeifer P, Schöffmann A, **Khom S**, Hering S, Mihovilovic MD. Org Biomol Chem. 2015 Jan 28;13(4):990-4. doi: 10.1039/c4ob02242d.  
IF: **3.412**
17. A cycloartane glycoside derived from Actaea racemosa L. modulates GABAA receptors and induces pronounced sedation in mice.  
Strommer B\*, **Khom S**\*, Kastenberger I, Cicek SS, Stuppner H, Schwarzer C, Hering S. J Pharmacol Exp Ther. 2014 Nov;351(2):234-42. doi: 10.1124/jpet.114.218024.  
IF: **3.389**  
\* Equal contribution
18. Efficient modulation of  $\gamma$ -aminobutyric acid type A receptors by piperine derivatives.  
Schöffmann A\*, Wimmer L\*, Goldmann D\*, **Khom S**, Hintersteiner J, Baburin I, Schwarz T, Hintersteiner M, Pakfeifer P, Oufir M, Hamburger M, Erker T, Ecker GF, Mihovilovic MD, Hering S. J Med Chem. 2014 Jul 10;57(13):5602-19. doi: 10.1021/jm5002277.  
IF: **6.205**
19. Esters of valerenic acid as potential prodrugs.  
Hintersteiner J, Haider M, Luger D, Schwarzer C, Reznicek G, Jäger W, **Khom S**, Mihovilovic MD, Hering S. Eur J Pharmacol. 2014 Jul 15;735(100):123-31. doi: 10.1016/j.ejphar.2014.03.019. Epub 2014 Mar 27.  
IF: **3.263**
20. GABAA receptor modulation by piperine and a non-TRPV1 activating derivative. **Khom S**<sup>\*</sup>, Strommer B\*, Schöffmann A, Hintersteiner J, Baburin I, Erker T, Schwarz T, Schwarzer

C, Zaugg J, Hamburger M, Hering S. Biochem Pharmacol. 2013 Jun 15;85(12):1827-36. doi: 10.1016/j.bcp.2013.04.017.

IF: **4.944**

\* Equal contribution

21. GABA(A) receptor modulators from the Chinese herbal drug Junci Medulla--the pith of *Juncus effusus*.

Singhuber J, Baburin I, **Khom S**, Zehl M, Urban E, Hering S, Kopp B. Planta Med. 2012 Mar;78(5):455-8. doi: 10.1055/s-0031-1298174.

IF: **2.687**

22. Identification and characterization of GABA(A) receptor modulatory diterpenes from *Biota orientalis* that decrease locomotor activity in mice.

Zaugg J\*, **Khom S\***, Eigenmann D, Baburin I, Hamburger M, Hering S. J Nat Prod. 2011 Aug 26;74(8):1764-72. doi: 10.1021/np200317p.

IF: **3.779**

\* Equal contribution

23. Bioactivity-guided isolation of GABA(A) receptor modulating constituents from the rhizomes of *Actaea racemosa*.

Cicek SS\*, **Khom S\***, Taferner B, Hering S, Stuppner H. J Nat Prod. 2010 Dec 27;73(12):2024-8. doi: 10.1021/np100479w.

IF: **3.779**

\* Equal contribution

24. Valerenic acid derivatives as novel subunit-selective GABAA receptor ligands - in vitro and in vivo characterization.

**Khom S\***, Strommer B\*, Ramharter J, Schwarz T, Schwarzer C, Erker T, Ecker GF, Mulzer J, Hering S. Br J Pharmacol. 2010 Sep;161(1):65-78. doi: 10.1111/j.1476-5381.2010.00865.x.

IF: **7.73**

\* Equal contribution

25. Estimating the efficiency of benzodiazepines on GABA(A) receptors comprising gamma1 or gamma2 subunits.

Baburin I, **Khom S**, Timin E, Hohaus A, Sieghart W, Hering S. Br J Pharmacol. 2008 Oct;155(3):424-33. doi: 10.1038/bjp.2008.271.

IF: **7.73**

26. HPLC-based activity profiling approach for the discovery of GABAA receptor ligands using an automated two microelectrode voltage clamp assay on *Xenopus oocytes*.

Kim HJ, Baburin I, **Khom S**, Hering S, Hamburger M. Planta Med. 2008 Apr;74(5):521-6. doi: 10.1055/s-2008-1074491. IF: **2.687**

27. Modulation of GABAA receptors by valerian extracts is related to the content of valerenic acid.

Trauner G, **Khom S**, Baburin I, Benedek B, Hering S, Kopp B. Planta Med. 2008 Jan;74(1):19-24. doi: 10.1055/s-2007-993761.

IF: **2.687**

28. Valerenic acid potentiates and inhibits GABA(A) receptors: molecular mechanism and subunit specificity.

**Khom S**, Baburin I, Timin E, Hohaus A, Trauner G, Kopp B, Hering S. Neuropharmacology. 2007 Jul;53(1):178-87. doi: 10.1016/j.neuropharm.2007.04.018.

IF:**4.431**

29. Pharmacological properties of GABAA receptors containing gamma1 subunits.

**Khom S**\*, Baburin I\*, Timin EN, Hohaus A, Sieghart W, Hering S. Mol Pharmacol. 2006 Feb;69(2):640-9. doi: 10.1124/mol.105.017236.

IF: **3.641**

\* Equal contribution